
XINGDA
LIGHTING

Commercial Lighting Catalogue

Zhongshan Xingda Lighting

Downlights · Spotlights · Track & 48V Magnetic Systems · OEM



Selected series from a 487-series library · xingdalighting.com

About Xingda

Zhongshan Xingda Lighting is a commercial lighting factory based in Zhongshan, China. We manufacture downlights, spotlights, track lights and 48V magnetic track systems for projects, and supply fit-out companies, interior contractors, lighting designers and project-based distributors worldwide.
This catalogue presents a selected range from our 487-series library. Every series is identified by its code (for example QV-3205) — quote the code on WhatsApp and we will send full specifications, options and project pricing.

What we make

Downlights · Spotlights · Grille lights · Wall washers · Linear lights & profiles · Track lights · 48V magnetic track systems

Dimming & control

DALI · Zigbee · Tuya · Bluetooth Mesh · 0–10V · TRIAC — available across the range, specified per project.

OEM & private label

OEM and private-label production is available: custom finishes, packaging and labelling to your specification.

Certification & export experience

CE certified. Export experience to Malaysia, Singapore and the United Arab Emirates.

How to use this catalogue

Wattages follow the recommended range of each series; the figure shown is the starting wattage of each size. Sizes and cut-outs are in millimetres. For the complete library of 487 series, visit xingdalighting.com.

Spotlights

Recessed and adjustable COB spotlights for accent, display and task lighting. Selected highlights from 119 series in this category — full range at xingdalighting.com.



QV-3413

Recessed adjustable COB spotlight — metallic grey

Our full-page showcase series: all-aluminium recessed COB spotlight in a metallic-grey finish, with stepped beam adjustment and nine reflector-cup finishes.

Sizes: Ø60 mm · Ø65 mm · Ø75 mm · Ø80 mm · Ø85 mm · Ø100 mm · Ø102 mm · Ø105 mm · Ø120 mm
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 8W / 10W / 12W / 15W / 20W
Beam angle: 15° · 24° · 36° · 55°
Reflector finishes: White, Black, Matte white, Matte black, Gun black, Matte silver +3 more
Features: Adjustable 0–30° · Stepped beam 15°–55° · Anti-light-leak
Tilt: Adjustable 0–30°
Structure: Modular kit build, anti-light-leak



QV-3219

Spotlight

Sizes: Ø60–220 mm · H 35–75 mm · 8 sizes
Cut-out: Ø55 · Ø75 · Ø80 · Ø95 · Ø120 · Ø145 · Ø160 · Ø200 mm
Power: 3W / 5W / 7W / 10W / 12W / 18W / 25W / 35W



QV-3429

Pinhole recessed spotlight

Sizes: Ø84–105 mm · H 59–73 mm · 4 sizes
Cut-out: Ø75 · Ø95 mm
Power: 10W / 15W
Beam angle: 24° · 36°
Reflector finishes: Sand white, Sand black



QV-3210

COB spotlight

Sizes: Ø70×H69 – Ø112×H116 mm · 3 sizes
Cut-out: Ø60 · Ø75 · Ø95 mm
Power: 5W / 10W / 20W
Beam angle: 15° · 24° · 38°
Features: COB



QV-3414

Recessed COB spotlight

Sizes: Ø60–120 mm · H 73–125 mm · 23 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 8W / 10W / 12W / 15W / 20W
Beam angle: 15° · 24° · 36°
Reflector finishes: 15 finishes
Features: COB



QV-3418

Recessed spotlight

Sizes: Ø85 mm · H 76 mm
Cut-out: Ø75 mm
Reflector finishes: 10 colours



QV-3421

Mini recessed spotlight

Sizes: Ø38–65 mm · H 52–117 mm · 19 sizes
Cut-out: Ø35 · Ø40 · Ø50 · Ø60 mm
Power: 3W / 5W / 7W / 8W / 10W / 12W
Reflector finishes: White, Black, Gun black, Bright silver



JK-7466

Spotlight

Sizes: Φ64 – Φ61 mm · 3 sizes
Power: 5W / 10W / 12W
Beam angle: 15° · 24° · 36°



QV-3416

Recessed COB spotlight

Sizes: Ø65–114 mm · H 65–113 mm · 18 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Features: COB



QV-3420

Mini recessed spotlight

Sizes: Ø38–75 mm · H 53–130 mm · 54 sizes
Cut-out: Ø35–65 mm
Power: 3W
Reflector finishes: White, Black, Gun black, Bright silver

Recessed / trimless downlights

Trimless plaster-in frames and deep anti-glare recessed downlights for a clean ceiling. Selected highlights from 183 series in this category — full range at xingdalighting.com.



QV-3362

Trimless adjustable downlight

Sizes: Ø110–172 mm · H 78–117 mm · 7 sizes
Cut-out: Ø65 · Ø85 · Ø105 mm
Power: 5W / 7W / 8W / 10W / 18W / 25W
Beam angle: 8° · 15° · 24° · 38° · 55°
Features: Trimless · Adjustable



BN-5227

Trimless recessed downlight

Sizes: 86×81 – 106×105 mm · 2 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 12W / 24W
Reflector finishes: Black, Brushed gold, Brushed grey



BN-5239

Trimless recessed downlight

Sizes: 64×76 – 135×111 mm · 4 sizes
Cut-out: Ø55 · Ø75 · Ø95 · Ø120–125 · Ø125 mm
Power: 7W / 12W / 18W / 30W
Beam angle: 15° · 24° · 36° · 50°



BN-5242

Trimless recessed downlight


Sizes: 51×65 – 84×80 mm · 4 sizes
Cut-out: Ø45 · Ø65 · Ø75 mm
Power: 5W / 7W / 8W / 10W / 12W
Beam angle: 24°



BN-5243

Trimless recessed downlight

Sizes: 64×76 – 104×98 mm · 3 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 7W / 12W / 18W / 20W
Beam angle: 15° · 24° · 36°



BN-5244

Trimless recessed downlight

Sizes: 82×78 – 75×77 mm · 4 sizes
Cut-out: Ø55 · Ø95 mm
Power: 8W / 10W / 12W / 24W



BN-5257

Trimless recessed downlight

Sizes: 62×76 – 105×105 mm · 3 sizes
Power: 10W / 15W / 20W
Beam angle: 15° · 24° · 36°



BN-5258

Trimless recessed downlight

Sizes: 62×58 – 105×74 mm · 2 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 7W / 15W
Beam angle: 15° · 24° · 36° · 50°



BN-5270

Trimless recessed downlight

Sizes: 100×110 – 210×190 mm · 4 sizes
Power: 20W / 35W / 50W / 80W



QV-3361

Trimless Adjustable

Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 7W / 8W / 10W / 18W / 25W
Beam angle: 8° · 15° · 24° · 38° · 55°
Features: Trimless · Adjustable



QV-3373

Trimless Adjustable spotlight

Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 10W / 18W
Beam angle: 36° · 60°
Features: Trimless · Adjustable · Slim body

Downlights

Recessed downlights from compact residential sizes to large high-power commercial formats. Selected highlights from 44 series in this category — full range at xingdalighting.com.



QV-3424

Recessed downlight

Sizes: Ø85–175 mm · H 48–62 mm · 5 sizes
Cut-out: Ø75 · Ø95 · Ø120 · Ø140 · Ø160 mm
Power: 10W / 15W / 18W / 24W / 36W
Reflector finishes: White, Black, Matte black, Matte white, Gun black, Bright silver



QV-3425

Large recessed downlight

Sizes: Ø130–230 mm · H 123–186 mm · 5 sizes
Cut-out: Ø120 · Ø140 · Ø160 · Ø180 · Ø200 mm
Power: 24W / 36W / 50W / 70W / 80W
Reflector finishes: White, Black, Gloss black, Gun black



QV-3237

Downlight

Sizes: Ø60–220 mm · H 35–75 mm · 8 sizes
Cut-out: Ø55 · Ø75 · Ø80 · Ø95 · Ø120 · Ø145 · Ø160 · Ø200 mm
Power: 3W / 5W / 7W / 10W / 12W / 18W / 25W / 35W



QV-3415

Recessed high-efficiency downlight

Sizes: Ø64–220 mm · H 38–52 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 · Ø115–120 · Ø140–150 · Ø160 · Ø200 mm
Power: 5W / 10W / 12W / 18W / 24W / 36W / 50W
Beam angle: 24° · 36° · 55° · 60°
Reflector finishes: 11 finishes



QV-3423

Recessed downlight

Sizes: Ø90 mm · Ø110 mm · Ø135 mm
Cut-out: Ø75 · Ø95 · Ø120 mm
Power: 10W / 15W / 20W
Beam angle: 55°
Reflector finishes: 9 finishes



QV-3435

Recessed integrated downlight

Sizes: Ø84–220 mm · H 42–57 mm · 7 sizes
Cut-out: Ø75 · Ø80 · Ø95 · Ø120 · Ø140 · Ø160 · Ø200 mm
Power: 5W / 7W / 10W / 15W / 18W / 20W / 25W
Reflector finishes: White, Black, Gun black, Bright silver

SMD downlights

SMD downlights with wide, even light distribution for general illumination. Selected highlights from 18 series in this category — full range at xingdalighting.com.



QV-3235

SMD Two-tone downlight

Sizes: Ø90–230 mm · H 56–100 mm · 7 sizes
Cut-out: Ø75 · Ø80 · Ø95 · Ø120 · Ø145 · Ø160 · Ø200 mm
Power: 10W / 12W / 15W / 18W / 30W / 40W / 50W
Reflector finishes: Bright silver, Black, White, Matte silver, Grey, Gun black +2 more
Features: SMD · Two-tone housing



QV-3417

Recessed SMD downlight

Sizes: Ø90–230 mm · H 37–52 mm · 7 sizes
Cut-out: Ø75 · Ø80 · Ø95 · Ø120 · Ø140 · Ø160 · Ø200 mm
Power: 10W / 12W / 15W / 18W / 24W / 36W / 50W
Reflector finishes: 9 finishes
Features: SMD



QV-3242

SMD downlight

Sizes: Ø98–232 mm · H 45–62 mm · 7 sizes
Cut-out: Ø70 · Ø80 · Ø90 · Ø115 · Ø145 · Ø160 · Ø205 mm
Power: 3W / 5W / 7W / 9W / 15W / 18W / 24W
Features: SMD

Surface-mounted

Surface-mounted downlights — no ceiling cut-out needed, ideal for concrete ceilings and retrofits. Selected highlights from 32 series in this category — full range at xingdalighting.com.



QV-3437

Surface-mounted lens downlight

Sizes: Ø74–199 mm · H 70–91 mm · 6 sizes
Power: 10W / 15W / 18W / 24W / 36W / 50W
Beam angle: 60°
Reflector finishes: White, Black, Gun black, Bright silver
Features: Surface-mounted · Lens
CCT: 3000K / 4000K / 6000K
CRI: Ra≥90
Body: Aluminium



QV-3436

Surface-mounted downlight


Sizes: Ø74–199 mm · H 70–91 mm · 6 sizes
Power: 8W / 12W / 15W / 18W / 24W / 36W
Reflector finishes: White, Black, Gun black, Bright silver
Features: Surface-mounted · Dual-use
CCT: 3000K / 4000K / 6000K
CRI: Ra≥90
Body: Aluminium



QV-3230

Surface-mounted COB downlight

Features: Surface-mounted · COB



QV-3260

Surface-mounted sensor light

Features: Sensor · Surface-mounted



JK-7437

Surface-mounted COB downlight

Features: Surface-mounted · COB



QV-3233

Surface-mounted COB waterproof downlight

Features: Waterproof · Surface-mounted · COB

Grille lights


Single and multi-cell grille lights for low-glare accent lighting in retail and hospitality. Selected highlights from 20 series in this category — full range at xingdalighting.com.



QV-3386

Grille light

Sizes: Ø85 mm · Ø105 mm
Cut-out: Ø75 · Ø95 mm
Power: 8W / 14W
Features: Grille · low-glare



QV-3262

Grille light

Sizes: Ø85–220 mm · H 34 mm · 5 sizes
Cut-out: Ø75 · Ø95 · Ø110 · Ø160 · Ø200 mm
Power: 10W / 18W / 20W / 30W / 40W
Beam angle: 24° · 45°
Reflector finishes: White, Matte silver, Black, Bright silver, Champagne gold, Rose gold +1 more
Features: Grille · low-glare



QV-3205

COB grille light

Sizes: L92–400 mm · W92–139 mm · H 59–86 mm · 9 sizes
Cut-out: L75*W75mm · L95*W95mm · L120*W120mm · L160*W75mm · L205*W95mm · L255*W120mm · L250*W75mm · L380*W120mm
Power: 10W / 15W / 20W
Beam angle: 15° · 30° · 45°
Features: Grille · low-glare · COB



QV-3385

Surface-mounted grille light

Sizes: Ø89 mm · Ø109 mm
Power: 8W / 14W
Features: Surface-mounted · Grille · low-glare

Wall washers

COB wall washers with dedicated wall-wash optics for even vertical illumination. Selected highlights from 47 series in this category — full range at xingdalighting.com.



QV-3419

Rotating COB wall washer

Sizes: Ø65 mm · Ø85 mm · Ø105 mm
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 10W / 15W
Reflector finishes: 9 finishes
Features: Wall-washer · COB



QV-3299

COB wall-washer

Sizes: Ø90×H65 – Ø90×H138 mm · 5 sizes
Cut-out: Ø75 mm
Power: 5W / 7W / 10W / 15W / 20W
Beam angle: 15° · 25° · 38° · 60°
Features: Wall-washer · COB



QV-3266

COB wall-washer

Sizes: Ø65–105 mm · H 72–122 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 7W / 8W / 10W / 18W / 25W
Reflector finishes: Bright silver, Black, White, Matte silver, Matte black, Gun black +2 more
Features: Wall-washer · COB



QV-3265

Wall-washer

Sizes: Ø67–108 mm · H 83–132 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 7W / 8W / 10W / 18W / 25W
Beam angle: 15° · 24° · 38°
Reflector finishes: Matte silver, White, Black, Champagne gold, Rose gold, Matte black +1 more
Features: Wall-washer



QV-3349

COB wall-washer

Cut-out: Ø55 · Ø75 · Ø95 mm

Features: Wall-washer · COB

Trimless plaster-in

Plaster-in trimless fittings that disappear into the ceiling finish. Selected highlights from 11 series in this category — full range at xingdalighting.com.



QV-3289

Trimless Plaster-in wall-washer

Sizes: Ø74–114 mm · H 75–120 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 7W / 8W / 10W / 18W / 25W
Reflector finishes: Bright silver, Black, White, Matte silver, Matte black, Gun black +2 more
Features: Trimless · Plaster-in · Adjustable



QV-3296

Trimless Plaster-in wall-washer

Sizes: Ø74–114 mm · H 72–122 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 7W / 8W / 10W / 18W / 25W
Reflector finishes: Bright silver, Black, White, Matte silver, Matte black, Gun black +2 more
Features: Trimless · Plaster-in · Adjustable

Linear lights & profiles

Grille linear lights and aluminium profiles for continuous lines of light. Selected highlights from 13 series in this category — full range at xingdalighting.com.



QV-3263

Two-tone grille linear light

Sizes: L46–417 mm · W46–106 mm · H 52 mm · 8 sizes
Cut-out: L38*W38mm · L60*W35mm · L88*W35mm · L68*W68mm · L140*W35mm · L98*W98mm · L270*W35mm · L408*W35mm
Power: 1W / 2W / 3W / 4W / 5W / 9W / 10W / 15W
Reflector finishes: Bright silver, Black, White, Matte silver, Matte black, Gun black +2 more
Features: Grille · low-glare · Linear · Two-tone housing



QV-3278

Trimless grille linear light


Sizes: L93*W83*H64 mm · L146*W83*H64 mm · L278*W83*H64 mm
Cut-out: L95*W46mm · L148*W46mm · L280*W46mm
Power: 3W / 5W / 10W
Reflector finishes: Bright silver, Black, White, Matte silver, Matte black, Gun black +2 more
Features: Trimless · Grille · low-glare · Linear



QV-3279

Surface-mounted grille linear light

Sizes: L137*W34*H54 mm · L269*W34*H54 mm · L402*W34*H54 mm
Power: 5W / 10W / 15W
Beam angle: 60°
Reflector finishes: Bright silver, Black, White, Matte silver, Matte black, Gun black +2 more
Features: Surface-mounted · Grille · low-glare · Linear



QV-3264

Grille linear light

Sizes: L46–417 mm · W46–106 mm · H 52 mm · 8 sizes
Cut-out: L38*W38mm · L60*W35mm · L88*W35mm · L68*W68mm · L140*W35mm · L98*W98mm · L276*W35mm · L408*W35mm
Power: 1W / 2W / 3W / 4W / 5W / 9W / 10W / 15W
Beam angle: 15° · 24° · 38°
Reflector finishes: White, Grey, Black, Champagne gold, Rose gold, Bright white
Features: Grille · low-glare · Linear

Magnetic track system

48V low-voltage magnetic track with snap-in modules — reposition any module by hand, no tools. Selected highlights from 1 series in this category — full range at xingdalighting.com.



QV-3434

48V magnetic track system

One 48V track, many modules: linear, flood and folding grille modules snap in magnetically and can be moved by hand.

System: 48V DC
Modules: 37 models · 5–72W
CCT: 3000K / 4000K / 6000K
CRI: Ra≥95
Features: Magnetic



48V magnetic track system — installed view. Track lengths and driver options on request via WhatsApp.

XINGDA
LIGHTING

Talk to us about your project

WhatsApp
+86 159 7591 4747

Website
https://xingdalighting.com

Send us a series code (e.g. QV-3205) and your project details —
we will reply with full specifications, options and project pricing.